



INPUT SELECTOR SWITCH POSITION FUNCTION

1.	MAG. INPUT
2.	TUNER
3.	EXTRA

STEREO SELECTOR SWITCH POSITION FUNCTION

1.	BAL. L.
2.	BAL. R.
3.	MONO.
4.	STEREO
5.	REV. STEREO
6.	L. INPUT
7.	R. INPUT

HIGHEST SERIES NUMBERS

C 24	C 124	C 212
D 27	D 147	D 213
T 1	T 101	T 201

NOTE: THE FOLLOWING CONTROLS IN LEFT CHANNEL ARE MECHANICALLY GANGED WITH IDENTICAL CONTROLS IN RIGHT CHANNEL:

- INPUT SELECTOR
- LOUDNESS
- MAG. INPUT
- TAPE
- RUMBLE FILTER
- SCRATCH FILTER
- SPEAKERS
- COMPENSATOR

UNLESS SPECIFIED:

- RESISTORS IN OHMS & 1/2 WATT.
- CAPACITORS IN MFD.
- VOLTS DC ± 15% MEASURED WITH 20KΩ/V V.O.M., NO SIGNAL & 117 V LINE.
- GAINS ± 2 DB. WITH ACVT.M.

DATE	B-C-64	H.H. SCOTT, INC., MAYNARD, MASS.	
DRAWN	EKESLER	CIRCUIT DIAGRAM	
ENG.	7296	SCALE:	DWG. SHEET D
PROD.		SHEET 1 OF 1	299D-C1
		SER. NO. 249780 & ABOVE	

SER. NO. 249780 & ABOVE

299D-C1