



***Redefining the way  
you experience sound.™***

technical information sheet

# 1044-SE

## 2-way Tower Speaker

### Applications:

RBH designed the 1044-SE to provide timbre-matched sound consistent with the high value of the Signature Series speakers. The 1044-SE is a tall, slender tower speaker. The rear-ported design has a driver complement of two 4-inch aluminum mid-range drivers, a single 1-inch silk dome tweeter, and a side-firing 10-inch aluminum woofer. The ultra-rigid aluminum cone woofer delivers unsurpassed detail and accuracy and can effortlessly handle any sharp explosion or flawlessly reproduce the softest musical note. The silk tweeter is capable of handling very high temperatures, while increasing power handling and greater sonic accuracy. The 1010-SE loudspeaker is designed for home theaters and listening rooms where extreme performance and high fidelity is a must.

### Technical Information:

- Model Name/Number:** 1010-SE
- Primary Use:** Tower Speaker
- Series:** Signature Series
- System Type:** 2-way Bass Reflex
- Frequency Response:** 30Hz — 20kHz  $\pm$  3dB
- Sensitivity:** 88dB (2.83 Volts @ 1 Meter)
- Recommended Power:** 100-250 Watts
- Drive Units:**
  - (1) 10" Aluminum Woofer
  - (2) 4" Aluminum Woofers
  - (1) 1" Silk Dome Tweeter
- Tweeter Protection:** Yes
- Crossover Frequency:** 100 Hz, 3000 Hz
- Crossover Slope:** 24dB/Octave
- Impedance:** 4 Ohms
- Color:** Black/Black Gloss/Veneers
- Grille:** Black
- Video Shielding:** Yes
- Finished Dimensions:** 6 $\frac{3}{4}$ " W x 42" H x 15 $\frac{1}{2}$ " D
- Weight:** 58 Lbs.
- Warranty:** 5 Years\*



\*Warranted for 5 (five) years from date of purchase to be free from defects and workmanship. For more information see your RBH dealer.

## **RBH Sound**

Layton, Utah • USA  
(800) 543-2205 • [www.rbhsound.com](http://www.rbhsound.com)

It is the policy of RBH to constantly incorporate improvements into products; all specifications are subject to change without notice.  
Copyright © 2007, RBH Sound. All rights reserved.