



REVISIONS					
LTN	ZONE	DESCRIPTION	BY	DATE	APPROVED



HOLE SCHEDULE			
CODE	HOLE SIZE	DRILL NO.	QTY.
A	.031	68	117
UNCODED	.036	69	~
B	.040	60	68
C	.052	55	173
D	.055	54	14
E	.067	51	18
F	.100	39	9
G	.125	1/8	5
H	.156	5/32	5
HOLE TOLERANCE +.003 - .001			

NOTES:
 1. MATERIAL: G10 FR EPOXY BOARD, .062 THICK
 2. OUNCE COPPER, SINGLE SIDED, .94Y-0 UL CERTIFIED MATERIAL MARKED ACCORDING TO UL AGREEMENT, F94
 3. EMERSION: TIN PLATED
 4. FABRICATE PER A/W SHEETS 1 OF 2 AND 2 OF 2
 1. DATECODE: 76100

DO NOT SCALE DWG.	DRAWN	DAVE WILLARD	9/8/81	Phase Linear THE POWERFUL DIFFERENCE
UNLESS OTHERWISE SPECIFIED DIM. AND TOL. ARE IN INCHES	CHECKED		1/1	
TOLERANCES ARE	APPROVED	J. Bohm	9/13/81	DRILL AND TRIM DIAGRAM-PCB MAIN BD. MODEL E.51-PARAMETRIC EQUALIZER PROFESSIONAL SERIES
1 DEC ± .1 3 DEC ± .005	RELEASE STATUS			
2 DEC ± .01 4 DEC ± .0005	PROTO.		1/1	SIZE C DWG. NO. 145-0105 REV. A
REMOVE BURRS, BREAK SHARP EDGES, MACH SURFACES 100%	1st RUN		1/1	
MAT'L: SEE NOTES	FINAL		1/1	SCALE: 1:1 B/PROC. SHEET 1 OF 1
FINISH: " "			1/1	



ESL PARAMETRIC EQUALIZER

PRELIMINARY SERVICE MANUAL

Phase Linear PROFESSIONAL SERIES

